

Crease pattern of Mooser's Train removed due to copyright restrictions.


Refer to: Fig. 12.4 from Lang, Robert J. *Origami Design Secrets: Mathematical Methods for an Ancient Art*. 2nd ed. A K Peters / CRC Press, 2011.



Courtesy of Robert J. Lang. Used with permission.

folding by
Robert Lang

Crease pattern of Mooser's Train removed due to copyright restrictions.
Refer to: Fig. 12.4 from Lang, Robert J. *Origami Design Secrets: Mathematical Methods for an Ancient Art*. 2nd ed. A K Peters / CRC Press, 2011.





Black Forest Cuckoo Clock,
opus 182

Robert Lang, 1987

Courtesy of Robert J. Lang. Used with permission.



Are there known universal hinge patterns to build poly-some-other-shapes-that-are-not-cubes?

Folded state of box-please gadget removed due to copyright restrictions.




Yes/No

Demaine,
Demaine,
Stengle
2011




Courtesy of Erik Demaine, and Martin Demaine. Used with permission.



Martin
Gardner

Demaine,
Demaine
2012

Courtesy of Erik Demaine, and Martin Demaine. Used with permission.




Courtesy of Erik Demaine, and Martin Demaine. Used with permission.

GLASS

Demaine & Demaine, 2012


I didn't understand the point of NP-hardness. Are there examples of actual problems that can't be calculated?

**Could we go through one of the
NP proofs with a little less
hand waving?**



Courtesy of Elsevier, Inc., <http://www.sciencedirect.com>. Used with permission.


[Arkin,
Bender,
Demaine,
Demaine,
Mitchell,
Sethia,
Skiena
2000] 11



Courtesy of Elsevier, Inc., <http://www.sciencedirect.com>. Used with permission.

[Arkin,
Bender,
Demaine,
Demaine,
Mitchell,
Sethia,
Skiena
2000]

Minor question: in the orthogonal paper reduction, doesn't this require not folding some of the creases, if we want to make 2 consecutive strips the same direction?






Image by MIT OpenCourseWare.




Image by MIT OpenCourseWare.

In the reflector gadget, it looks like all the left sides of the wires, where left is taken relative to the free end of the wire, are equal. How does the reflector negate one of them, then?

[Bern & Hayes 1996]




Image by MIT OpenCourseWare.

**It looks like the global flat
foldability proof proves that**

globally flat-foldable

⇒ NAE satisfiability

⇒ locally flat-foldable,

but I don't see where

NAE satisfiability

⇒ globally flat-foldable.

**(It looks like all that matters is
the order of sheets, though, and
that those all work out.)**






Image by MIT OpenCourseWare.


For global flat foldability, I understand how the gadgets prove (1), but how do they prove (2)?

Global flat foldability: [Bern & Hayes 1996]



- ① deciding flat foldability of given crease pattern is strongly NP-hard
- ② constructing valid layer ordering for given flat-foldable mountain-valley pattern is strongly NP-hard



true





false



tab

[Bern & Hayes 1996]

NAE clause



[Bern & Hayes 1996]

2D map folding: [Arkin et al 2004]


- ↳ rectangular paper with axis-parallel creases
- again every crease pattern is flat foldable:
zig-zag in x then y




OPEN: characterize flat-foldable mountain-valley patterns — even $2 \times n$! [Edmonds 1997]


Simple folds are not as powerful in 2D:

(in contrast to 1D, where we can simulate crimp/end folds)






Front



Back



[Demaine & Demaine 2003]



Warning: The following buttons reset all labels

Increase width

Decrease width

Increase height


Decrease height

Add label

Remove label

1,368
folded
states






NEWS labeling

Courtesy of Erik Demaine, Eric Liu, and Thomas Morgan. Used with permission.






[Demaine, Liu, Morgan 2012]




top edge view

Courtesy of Erik Demaine, Eric Liu, and Thomas Morgan. Used with permission.

[Demaine, Liu, Morgan 2012]












top edge view




Courtesy of Erik Demaine, Eric Liu, and Thomas Morgan. Used with permission.

[Demaine, Liu, Morgan 2012]






ray diagram






Courtesy of Erik Demaine, Eric Liu, and Thomas Morgan. Used with permission.





[Demaine, Liu, Morgan 2012]



ray diagram




Courtesy of Erik Demaine, Eric Liu, and Thomas Morgan. Used with permission.



Courtesy of Erik Demaine, Eric Liu, and Thomas Morgan. Used with permission.


[Demaine, Liu, Morgan 2012]



SSESNSNSWSNWNNSN

Courtesy of Erik Demaine, Eric Liu, and Thomas Morgan. Used with permission.

[Demaine, Liu, Morgan 2012]



Courtesy of Erik Demaine, Eric Liu, and Thomas Morgan. Used with permission.

[Demaine, Liu, Morgan 2012]

MIT OpenCourseWare
<http://ocw.mit.edu>

6.849 Geometric Folding Algorithms: Linkages, Origami, Polyhedra
Fall 2012

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.